

## Balancing the charge: the evolution of battery active equalizers in shaping a sustainable energy storage future

Eki Rovianto<sup>1</sup>, Khairunnisa<sup>2</sup>, Bhre Wangsa Lenggana<sup>1,3</sup>, Muhammad Faris Fardan<sup>4</sup>, Catur Harsito<sup>1,5</sup>, Ari Prasetyo<sup>1</sup>

<sup>1</sup>Department of Mechanical Engineering, Vocational School, Universitas Sebelas Maret, Surakarta, Indonesia

<sup>2</sup>Department of Electrical and Electronic Engineering, Vocational Faculty, Universitas Negeri Yogyakarta, Yogyakarta, Indonesia

<sup>3</sup>PT. Bengawan Teknologi Terpadu, Karanganyar, Indonesia

<sup>4</sup>Department of Mechanical Engineering, Faculty of Engineering, Universitas Sebelas Maret, Surakarta, Indonesia

<sup>5</sup>Department of Mechanical, Computer, Industrial Management Engineering, Kangwoon National University, Samcheok, Republic of Korea

### Article Info

#### Article history:

Received Sep 23, 2023

Revised Mar 13, 2024

Accepted Mar 28, 2024

#### Keywords:

Balancing

Battery

Battery active equalizer

Energy storage

Sustainable energy

### ABSTRACT

As the world embraces sustainable energy solutions, energy storage systems are becoming increasingly critical for the effectiveness of renewable energy sources. Batteries have emerged as a promising option. However, to fully harness the potential of batteries, the challenge of cell must be overcome. This review article delves into the evolution of battery active equalizers on the quest for sustainable energy storage solutions. The review begins by exploring the fundamental principles of battery active equalization and its significance in optimizing energy storage system performance and efficiency. Traditional battery management techniques are limited in their ability to address imbalances effectively, making active equalization a compelling alternative. The review provides a comprehensive analysis of early developments and current state-of-the-art active equalization systems. The reviewed article demonstrates successful applications, showcasing how active equalizers can significantly improve energy storage performance and overall system stability. While active equalization offers tremendous promise, it is not without challenges. The review explores how these technologies seamlessly fit with renewable energy sources and grid systems, opening up possibilities for future energy infrastructure. Industry perspectives play a vital role in realizing innovative technologies. Therefore, the review incorporates insights from leading experts, presenting their viewpoints on the adoption of battery active equalizers.

This is an open access article under the [CC BY-SA](https://creativecommons.org/licenses/by-sa/4.0/) license.



### Corresponding Author:

Eki Rovianto

Department of Mechanical Engineering, Vocational School, Universitas Sebelas Maret

Surakarta 57126, Indonesia

Email: ekirovianto@staff.uns.ac.id

## 1. INTRODUCTION

The transition towards a renewable energy-dominated world has brought to the forefront the critical need for efficient energy storage solutions. As the integration of renewable sources such as solar and wind power increases, the intermittent nature of these energy sources necessitates reliable energy storage systems to bridge the gap between energy generation and consumption. Energy storage not only enhances grid stability but also enables better utilization of renewable energy resources, reducing dependency on fossil fuels and curbing greenhouse gas emissions. Among the various energy storage technologies available, batteries have emerged as a key player in the race for sustainable energy storage. The ability of batteries to store electricity

efficiently, coupled with their scalability and versatility, positions them as a crucial component in meeting the energy demands of the future. However, despite their potential, batteries face inherent challenges, one of which is cell imbalances within battery packs.

Cell imbalances occur when individual cells in a battery pack charge and discharge unevenly, leading to inefficiencies and reduced overall performance [1], [2]. These imbalances can result from variations in cell characteristics, temperature gradients, and charge-discharge cycling differences [3], [4]. Over time, such imbalances can lead to capacity loss, shortened battery lifespan, and compromised safety. As the world seeks optimized energy storage solutions, addressing these imbalances becomes imperative. This review article introduces the concept of battery active equalizers as a cutting-edge technology that tackles the challenge of cell imbalances in energy storage systems [5]–[7]. Battery active equalizers are innovative devices designed to actively monitor and equalize the state of charge among individual battery cells within a pack. By redistributing charge from higher to lower capacity cells, active equalizers alleviate cell imbalances and ensure the optimal utilization of each cell's potential [8]–[10]. The primary objective of this article is to explore the evolution and role of battery active equalizers in optimizing battery performance and contributing to a sustainable energy storage future. We will delve into the fundamental principles of active equalization, the advantages it offers over traditional passive equalization methods, and its potential to enhance the efficiency, longevity, and safety of energy storage systems.

Furthermore, this review will examine technological advancements in active equalizers and their successful applications through real-world case studies. By analyzing these case studies, we aim to demonstrate the positive impact of active equalizers on energy storage performance, system stability, and overall reliability. As we embark on this journey to explore the intricacies of battery active equalizers, we underscore their significance in the pursuit of a greener, more sustainable energy landscape. With the potential to revolutionize energy storage systems, active equalizers offer a promising solution to address the challenges of the modern energy transition. Through this review, we hope to shed light on the pivotal role of battery active equalizers in shaping a sustainable energy storage future. Figure 1 illustrates the consideration for using equalizer for multi cell battery.

The growing global emphasis on renewable energy sources has driven a remarkable shift towards a sustainable and low-carbon energy future. Renewable energy technologies, such as solar photovoltaics and wind turbines, have demonstrated immense potential in harnessing clean and abundant energy from nature. However, their inherent intermittency poses a significant challenge for the reliable and continuous supply of electricity. To overcome this challenge and make the most of renewable energy, the integration of efficient energy storage systems has become imperative [11], [12]. Energy storage serves as a crucial enabler for the widespread adoption of renewable energy [13]. It offers the means to capture excess energy during times of high generation and release it during periods of peak demand or low generation, ensuring a stable and resilient energy supply. Moreover, energy storage systems facilitate grid balancing, mitigate voltage fluctuations, and provide backup power during outages, enhancing the overall reliability and performance of the electricity grid [14]–[16]. Among the various energy storage technologies, batteries have emerged as one of the most promising solutions. Batteries offer a host of advantages, including high energy density, rapid response times, and the ability to be deployed in diverse applications, ranging from small-scale residential installations to large grid-connected utility systems [17]. As a result, battery technologies have seen significant advancements and widespread adoption in recent years.

However, despite their many benefits, batteries are not without challenges. One of the key issues that impact battery performance and longevity is cell imbalances within battery packs [18], [19]. Battery packs consist of multiple individual cells connected in series and parallel configurations. These cells may exhibit variations in their chemical and physical properties, leading to unequal charging and discharging rates. As a consequence, certain cells can become overcharged while others remain undercharged, resulting in performance inefficiencies and potential safety hazards [20]–[22].

The detrimental effects of cell imbalances are multifaceted. Firstly, imbalanced cells lead to reduced overall energy storage system efficiency, as some cells contribute less to the pack's total capacity than others [23]. Secondly, overcharging of specific cells can lead to capacity degradation, shortening the overall lifespan of the battery pack [24]. Additionally, safety risks arise when imbalances cause certain cells to exceed their voltage limits, potentially leading to thermal runaway and hazardous conditions [25]. To address these challenges and unlock the full potential of batteries for energy storage, researchers and engineers have focused on developing innovative solutions, one of which is battery active equalization. Active equalization involves the use of specialized electronic circuits and control algorithms to actively manage and equalize the state of charge among individual battery cells. By redistributing charge from cells with higher states of charge to those with lower states of charge, active equalizers ensure that all cells operate within safe and optimal voltage ranges [26]–[28]. This article aims to shed light on the concept of battery active equalizers, their role in optimizing battery performance, and their contribution to shaping a sustainable energy storage future. We will

delve into the fundamental principles of active equalization, comparing its advantages with traditional passive equalization techniques. Furthermore, we will explore the evolution of active equalization technologies, examining successful applications through real-world case studies. As the world strives for a greener, more sustainable energy landscape, battery active equalizers hold immense promise in revolutionizing energy storage systems. By mitigating cell imbalances and enhancing battery efficiency and safety, active equalizers offer a compelling solution to advance the integration of renewable energy and accelerate the transition towards a more sustainable energy future. Through this review, we hope to provide valuable insights into the pivotal role of battery active equalizers in shaping the future of energy storage.

Battery active equalizers represent a significant technological advancement in the domain of energy storage systems [29]. To grasp their importance fully, it is essential to delve into their fundamental principles and functionality. At its core, an active equalizer is a sophisticated electronic device that continuously monitors and balances the state of charge among individual battery cells within a pack [30]–[32]. Unlike passive equalization techniques, which rely on passive components such as resistors and bypass diodes to balance cells, active equalizers take a proactive approach to manage cell imbalances [33], [34]. Active equalizers employ intelligent control algorithms and power electronics to redistribute charge between cells, ensuring that each cell reaches a state of charge closely aligned with the others. This dynamic balancing process optimizes the overall performance and longevity of the battery pack. To further emphasize the difference between active and passive equalization, Figure 2 compiled the advantages and disadvantages for each system.




Figure 1. The schematic concept of battery active equalizer




Figure 2. Advantages and disadvantages of active and passive equalizer

The significance of active equalization becomes apparent when considering the various factors that contribute to cell imbalances within battery packs. Variations in manufacturing tolerances, differences in cell capacities, and uneven temperature distributions during charging and discharging cycles are among the key factors leading to cell imbalances [35], [36]. Active equalizers effectively address these imbalances, reducing the risk of overcharging and undercharging specific cells. One of the primary advantages of battery active equalizers is their ability to operate in real-time [37]. Traditional passive equalization methods often operate passively and may not address imbalances as promptly as active equalizers [38], [39]. In contrast, active equalizers continually monitor the state of charge in each cell and take immediate corrective action when imbalances are detected. This real-time response ensures that the cells are maintained at their optimal operating points, maximizing overall battery efficiency and performance [40].

Furthermore, active equalizers can adapt their balancing strategies based on varying conditions, such as changes in cell characteristics over time or differences in temperature gradients [41]. This adaptability allows active equalizers to optimize cell balancing under different scenarios, ensuring reliable and efficient operation throughout the battery's lifespan [42]. Another crucial aspect of understanding battery active equalizers is their role in promoting battery pack safety. Cell imbalances can lead to potentially hazardous conditions, such as thermal runaway, where an overheating cell triggers a chain reaction of overheating neighboring cells [43], [44]. Active equalizers prevent these safety hazards by limiting the voltage differentials between cells, mitigating the risk of thermal runaway and enhancing the overall safety of the energy storage system [45]. As the demand for energy storage solutions continues to grow, particularly in applications such as electric vehicles, renewable energy integration, and grid stabilization, the role of battery active equalizers becomes increasingly vital. By addressing the challenges of cell imbalances and optimizing battery performance, active equalizers contribute

significantly to the sustainability and reliability of energy storage systems. As we proceed in this review, we will explore the various technological advancements and successful implementations of active equalizers, highlighting their role as a game-changing solution for energy storage in a rapidly evolving energy landscape.

As the world increasingly embraces sustainable energy solutions, the pivotal role of energy storage systems in optimizing the effectiveness of renewable energy sources becomes evident. Batteries have emerged as a promising option for energy storage; however, a significant challenge that hinders their full potential is the issue of cell imbalances. Traditional battery management techniques are limited in their capacity to effectively address these imbalances, necessitating the exploration of alternative solutions. This problem statement underscores the critical need for overcoming the challenge of cell imbalances in batteries to fully unlock their capabilities and enhance the performance and efficiency of energy storage systems. The review article delves into this problem by focusing on the evolution of battery active equalizers. It recognizes the limitations of existing techniques and emphasizes the significance of active equalization in mitigating cell imbalances. The overarching goal is to pave the way for sustainable energy storage solutions that seamlessly integrate with renewable energy sources and grid systems. The problem is not only technical but also practical, as the review acknowledges the challenges associated with active equalization while presenting it as a compelling alternative. Addressing this problem is crucial for realizing the potential of batteries and advancing the development of innovative technologies that contribute to a more sustainable and stable energy infrastructure. The main contribution of this review article is an in-depth exploration of the evolution of battery active equalizers as a crucial component in the quest for sustainable energy storage solutions. The article highlights the significance of addressing the challenge of cell imbalances in batteries to fully harness their potential for optimizing energy storage system performance and efficiency. The review presents a comprehensive analysis of the fundamental principles of battery active equalization, emphasizing its importance in overcoming the limitations of traditional battery management techniques. It showcases early developments and the current state-of-the-art in active equalization systems, demonstrating successful applications that significantly improve energy storage performance and overall system stability.

Furthermore, the review acknowledges the challenges associated with active equalization but underscores its tremendous promise for enhancing the effectiveness of renewable energy sources. The findings suggest that active equalization technologies seamlessly integrate with renewable energy and grid systems, paving the way for future advancements in energy infrastructure. The article also incorporates industry perspectives from leading experts, providing insights on the adoption of battery active equalizers. This inclusion enhances the review's credibility and relevance by considering real-world implications and potential innovations in the field of sustainable energy storage. Overall, the review contributes valuable insights into the role of battery active equalizers in the context of evolving energy storage technologies and their alignment with global efforts toward sustainable energy solutions.

## **2. METHOD**

### **2.1. The need for active equalization**

As the adoption of battery technologies in energy storage systems surges, the need for efficient battery management becomes paramount. While batteries offer numerous advantages, cell imbalances pose significant challenges that can hamper their performance and longevity. Passive equalization techniques, although widely used, have limitations in effectively addressing these imbalances [46]. This has driven the demand for more sophisticated and proactive solutions, leading to the emergence of battery active equalizers.

Passive equalization techniques rely on passive components like resistors or bypass diodes to equalize cell voltages. While effective in some cases, passive equalization has inherent drawbacks, such as energy dissipation in the form of heat, which can result in efficiency losses and increased operating costs [47]. Additionally, passive equalization is often less responsive to rapidly changing imbalances, making it challenging to maintain cell equilibrium during dynamic charging and discharging cycles [48], [49]. Active equalizers, on the other hand, provide an intelligent and dynamic approach to address cell imbalances promptly, minimizing inefficiencies and maximizing battery performance [50], [51]. Passive equalization techniques have been widely used in battery management systems for many years due to their simplicity and relatively low cost. These techniques primarily rely on passive components, such as resistors or bypass diodes, to equalize cell voltages within a battery pack. While passive equalization can provide a rudimentary level of balancing, it has inherent limitations that become more pronounced as energy storage systems evolve and become more sophisticated [52]. Active equalization emerges as a powerful solution to overcome these limitations and unlock the full potential of battery packs.

One of the significant drawbacks of passive equalization is the dissipation of excess energy in the form of heat [53], [54]. When equalizing cells with higher voltages, passive equalizers use resistors to shunt current away from those cells, resulting in energy losses. This energy dissipation not only reduces the overall

efficiency of the battery pack but also increases operating costs, especially in large-scale energy storage systems [55]. In contrast, active equalization operates more efficiently by intelligently redistributing charge between cells without significant energy losses, maximizing the usable energy within the battery pack.

Battery packs experience dynamic charge and discharge cycles in real-world applications, especially in rapidly changing load conditions or intermittent renewable energy generation [56], [57]. Passive equalization techniques may struggle to keep up with these dynamic imbalances, as they lack the ability to adapt quickly to changing conditions [58]. This can lead to persistent cell imbalances, resulting in suboptimal performance and potential safety risks. Active equalizers excel in these situations, as they continuously monitor cell voltages and respond in real-time to address imbalances effectively, ensuring that cells remain balanced and operating within safe voltage ranges [59]. In large-scale battery systems, the challenges of passive equalization are magnified. As the number of cells in a battery pack increases, the effectiveness of passive equalizers diminishes [60]. Balancing a large number of cells using passive techniques becomes more challenging due to increased energy dissipation and the complexity of managing multiple balancing components [61]. Active equalizers, with their intelligent control algorithms and distributed balancing capabilities, are better suited to handle the intricacies of large battery packs, maintaining cell equilibrium efficiently and optimizing the overall performance of the energy storage system. Passive equalization can lead to potential safety risks in energy storage systems. Since passive equalizers rely on shunting current away from cells to balance them, there is a risk of creating voltage imbalances across cells during the balancing process. This could lead to overcharging or undercharging certain cells, potentially resulting in hazardous conditions, such as thermal runaway [62]. Active equalizers are designed to prevent such safety risks by actively managing cell voltages and ensuring that cells remain within safe operating limits.

Cell imbalances have detrimental effects on battery packs, leading to uneven wear and tear among cells. Over time, this can result in capacity degradation and premature failure of the entire battery system [63]–[65]. Active equalizers play a crucial role in extending battery lifespan by actively managing cell states of charge, ensuring that cells operate within their optimal voltage range. By minimizing stress on individual cells and promoting uniform charge distribution, active equalizers can significantly enhance battery performance and overall system reliability [66]. The lifespan and performance of battery packs are critical factors in determining the economic viability and overall sustainability of energy storage systems. Cell imbalances within battery packs can have a significant impact on these aspects, leading to uneven wear and tear among individual cells and compromising the overall efficiency and longevity of the entire battery system. Active equalization technology emerges as a game-changer in addressing these challenges, offering compelling advantages in enhancing battery lifespan and performance. Cell imbalances can lead to specific cells being overcharged or undercharged, which can cause uneven stress and accelerated aging in these cells [67]–[70]. Over time, this can result in capacity degradation, reducing the overall energy storage capacity of the battery pack. Active equalizers play a vital role in minimizing capacity degradation by actively managing cell states of charge. By redistributing charge from higher to lower capacity cells, active equalization ensures that all cells are utilized more evenly, thereby reducing the rate of capacity loss and extending the overall lifespan of the battery pack. Promoting Uniform Charge Distribution: In energy storage systems, the charging and discharging cycles of battery cells can vary based on factors like load demand and renewable energy availability [71]. These variations can lead to cell imbalances, especially in large-scale systems with numerous cells. Active equalizers continuously monitor cell voltages and dynamically adjust charge distribution to promote uniform charge levels across all cells. This balanced charge distribution optimizes the use of each cell's capacity, resulting in better overall energy utilization and improved battery performance.

Temperature fluctuations are common in battery systems, and they can exacerbate cell imbalances. Cells operating at higher temperatures tend to have higher self-discharge rates, leading to faster discharging and potential overcharging of neighboring cells during the equalization process. Active equalizers consider temperature variations when managing cell voltages, ensuring that cells operate within safe temperature ranges and reducing the risk of imbalances caused by temperature gradients. This temperature-aware balancing approach contributes to a longer-lasting and more resilient battery system. Active equalization enables precise control over the charging and discharging profiles of individual cells [72]. By equalizing cell voltages and maintaining cells within their optimal voltage range, active equalizers allow the battery pack to operate at higher efficiency levels. This optimized charging and discharging behavior reduces stress on cells and minimizes the formation of harmful byproducts, contributing to enhanced battery performance and a cleaner, more sustainable energy storage solution. Cells that are consistently overcharged or undercharged due to imbalances may not contribute fully to the overall energy storage capacity [73]. Active equalization ensures that cells are charged and discharged more uniformly, allowing each cell to contribute its full capacity to the battery pack. This improved depth of discharge results in a more effective utilization of the battery's energy storage capabilities, increasing its overall efficiency and maximizing its value in energy storage applications [74], [75].

Energy storage systems are expected to operate efficiently to deliver maximum value in diverse applications. Cell imbalances can reduce the usable capacity of a battery pack, leading to suboptimal energy

utilization and overall system inefficiencies. Active equalization prevents cells from reaching their voltage limits, allowing the battery pack to maintain a higher state of charge while utilizing all cells effectively. This results in improved energy storage system efficiency, leading to enhanced returns on investment and better economic viability of energy storage projects. Efficiency is a crucial metric for any energy storage system, as it directly impacts the economic viability and environmental sustainability of the overall energy infrastructure. Cell imbalances within battery packs can significantly affect energy storage system efficiency, leading to suboptimal energy utilization and reduced returns on investment [76]–[79]. Active equalization technology offers a powerful solution to optimize energy storage system efficiency and maximize the benefits of battery-based energy storage.

Cell imbalances result in certain cells reaching their voltage limits earlier than others during charging and discharging cycles. As a consequence, some cells are underutilized, leading to a reduction in the overall usable capacity of the battery pack. Active equalizers actively manage cell states of charge to prevent overcharging and undercharging, ensuring that each cell contributes to the battery pack's energy storage capacity. By utilizing the full capacity of the battery pack, active equalization enables energy storage systems to store and deliver more energy efficiently.

In passive equalization techniques, excess energy is dissipated as heat during the balancing process, leading to energy wastage and decreased overall efficiency [80], [81]. Active equalizers mitigate this issue by redistributing charge between cells without significant energy losses. The dynamic and intelligent control algorithms of active equalizers ensure that the balancing process is executed efficiently, minimizing energy wastage and optimizing the overall efficiency of the energy storage system. Maximizing charge-discharge cycles: Efficient energy storage systems should be capable of handling numerous charge-discharge cycles without experiencing significant capacity loss. Cell imbalances can accelerate capacity degradation, leading to a reduced number of charge-discharge cycles before the battery's capacity diminishes significantly. Active equalizers maintain cell equilibrium and prevent uneven stress on cells, enabling energy storage systems to endure a higher number of cycles while maintaining a high level of efficiency throughout the battery's lifespan.

Energy storage systems often need to respond quickly to fluctuations in energy demand or supply, especially in applications like frequency regulation and grid stabilization [82], [83]. Passive equalization methods may not be agile enough to adapt to rapid changes in load conditions, leading to persistent cell imbalances and suboptimal performance during dynamic charging and discharging cycles. Active equalizers, with their real-time monitoring and rapid balancing capabilities, enable energy storage systems to respond swiftly to load changes, ensuring that cells remain balanced and energy is delivered efficiently.

For commercial and utility-scale energy storage projects, achieving a positive return on investment is crucial. Active equalization technology enhances the overall efficiency of the energy storage system, translating into improved energy utilization and reduced operating costs. The ability to maximize the usable capacity of the battery pack and extend its lifespan through balanced charging and discharging contributes to a higher return on investment, making energy storage projects economically viable and financially attractive [84].

Safety is a critical consideration in energy storage applications, especially in sectors like electric vehicles and grid-scale storage. Cell imbalances can result in unsafe voltage differentials between cells, increasing the risk of thermal runaway and fire incidents [85], [86]. Active equalizers actively manage cell voltages, preventing them from reaching hazardous levels and ensuring a safer operating environment for the entire battery system. By mitigating safety risks associated with cell imbalances, active equalizers play a pivotal role in bolstering the reliability and trustworthiness of energy storage solutions. Safety and reliability are paramount considerations in energy storage systems, as any compromise in these aspects can have serious consequences for both users and the surrounding environment. Cell imbalances within battery packs can pose significant safety risks, such as thermal runaway and fire incidents. Active equalization technology plays a crucial role in ensuring the safety and reliability of energy storage systems by actively managing cell voltages and preventing hazardous conditions.

Thermal runaway is a dangerous chain reaction that can occur in a battery cell when it becomes overcharged or overheated, leading to a rapid increase in temperature and potentially causing adjacent cells to undergo the same process. This cascading effect can result in a catastrophic failure of the entire battery pack, with severe consequences [87], [88]. Active equalizers proactively manage cell voltages, preventing cells from reaching critical voltage levels that could trigger thermal runaway. By maintaining balanced cell voltages, active equalization effectively mitigates the risk of thermal runaway and enhances the safety of the entire energy storage system.

Passive equalization techniques may inadvertently lead to overcharging or over discharging specific cells during the equalization process, as they rely on shunting current away from cells to balance them. Overcharging or over discharging cells can lead to irreversible damage, capacity degradation, and reduced battery lifespan [89]. Active equalizers use intelligent control algorithms to prevent cells from exceeding safe

voltage limits, ensuring that each cell operates within its optimal voltage range. This prevents cell damage and extends the overall lifespan of the battery pack, enhancing the long-term reliability of the energy storage system.

Cell imbalances can result in variations in cell performance, leading to differences in charge and discharge rates among cells within the battery pack. These variations can cause uneven stress on cells, further exacerbating cell imbalances and compromising the overall performance of the energy storage system [90]. Active equalizers actively manage cell states of charge, promoting uniform cell performance and reducing the risk of uneven stress, thus contributing to the long-term reliability and stability of the battery pack.

In critical applications, such as grid stabilization and uninterruptible power supply (UPS) systems, the reliability and resilience of energy storage systems are crucial. Active equalization technology enhances system resilience by preventing cascading failures caused by imbalances in large battery packs. The ability of active equalizers to respond in real-time to dynamic imbalances ensures that the energy storage system remains stable and functional, even during rapidly changing load conditions or unexpected events [91].

Energy storage systems are subject to rigorous safety standards to ensure the protection of users and the environment. Active equalization technology, with its ability to actively manage cell voltages and prevent hazardous conditions, helps energy storage systems meet these safety standards. By using active equalizers, system designers and operators can enhance compliance with safety regulations and certifications, providing additional assurance of the safety and reliability of the energy storage solution [92].

## 2.2. Technological innovations and advancements

The pursuit of more efficient, reliable, and sustainable energy storage solutions has driven continuous research and development in battery active equalization technology. Over the years, numerous technological innovations and advancements have emerged, propelling active equalization systems to the forefront of energy storage management. In this section, we explore some of the key technological breakthroughs that have revolutionized battery active equalization. The core of active equalization lies in its control algorithms, which govern the real-time monitoring and balancing of cell voltages. Technological advancements in control algorithms have led to more sophisticated and adaptive equalization strategies. Modern active equalizers employ advanced algorithms, such as fuzzy logic, neural networks, and model predictive control, to precisely manage cell voltages, respond rapidly to dynamic imbalances, and optimize charge distribution [93]–[96]. These intelligent algorithms significantly enhance the efficiency and performance of active equalization systems.

Energy storage systems are employed in diverse applications, ranging from small-scale residential installations to large grid-connected projects. To accommodate these varying requirements, active equalizers have evolved to offer modular and scalable designs. Modular systems allow for easy expansion and customization, enabling seamless integration into various battery pack configurations. This flexibility ensures that active equalization technology can be readily adapted to different energy storage projects, promoting its widespread adoption.

Traditional active equalization systems relied on a centralized architecture, with a single equalizer managing all cells within the battery pack [97]–[99] (see Figure 3(a) illustrating the schematics for centralized active equalization system). However, as battery packs grow larger and more complex, centralized equalization may become less efficient. Distributed balancing has emerged as a revolutionary approach, where multiple equalizers are distributed across the battery pack to manage subsets of cells (see Figure 3(b) illustrating the schematics for distributed equalization system). This distributed architecture ensures more efficient balancing, improved fault tolerance, and better scalability in large-scale energy storage systems.




Figure 3. The model schematic of control unit in battery active equalizer

The efficiency of active equalization systems is influenced by the switching frequency of their power electronics [100]–[103]. Technological advancements in power electronics have led to the adoption of high-frequency switching in active equalizers. High-frequency switching allows for faster response times and reduced energy losses, resulting in more efficient charge redistribution and improved overall energy storage system performance [104]–[106]. Active equalizers are increasingly being integrated into sophisticated energy management systems (EMS). These EMS platforms utilize data analytics, machine learning, and artificial intelligence to optimize battery operation and energy utilization. By integrating active equalization with EMS, energy storage systems can benefit from predictive analytics, load forecasting, and demand-side management, further enhancing efficiency and maximizing the value of energy storage resources [107], [108].

Ensuring the safety and reliability of energy storage systems remains a top priority. Technological innovations in active equalization have led to the implementation of additional safety features and redundancy mechanisms. For instance, active equalizers may incorporate real-time temperature monitoring, cell voltage limiters, and fault detection algorithms to prevent hazardous conditions. Redundancy features, such as backup equalizers, offer fail-safe measures, ensuring continuous and safe operation even in the event of an equalizer failure [109]–[112].

### 3. RESULTS AND DISCUSSION

Advancements in technology have led to a profound transformation in various fields, and the realm of battery management and energy conversion is no exception. This series of discussions delves into a range of innovative developments and studies that are shaping the landscape of battery systems, energy storage, and power electronics. In a quest to optimize battery performance, researchers have harnessed the potential of transformer-based equalization, unitized multi-winding transformers, and supercapacitor integration. These discussions delve into the advantages these technologies offer, from ease of isolation and control to increased efficiency and rapid charging capabilities. The research by Li *et al.* [96] and Wang *et al.* [119] exemplify this drive for innovation as they propose and verify novel methods in the pursuit of energy storage optimization.

Moreover, algorithmic advancements are also at the forefront of this exploration. The use of multi-agent systems (MAS) and other advanced algorithms in battery management, along with their impact on state of charge (SoC) based droop control, presents a promising avenue for enhancing energy distribution and coordination within microgrids. Furthermore, the integration of power electronics and energy conversion techniques comes to the fore with discussions on switched capacitors and reconfigurable equilibrium circuits. These novel approaches aim to improve power regulation, efficiency, and voltage stability in battery systems. Throughout these discussions, the significance of experimental validation is emphasized, as simulations and real-world testing provide valuable insights into the practical application and performance of these cutting-edge technologies. With each research endeavor, we witness a continuous pursuit of innovation, striving to overcome challenges and enhance the efficiency, reliability, and longevity of battery systems across various applications. As we delve into these discussions, we embark on a journey through the dynamic landscape of battery management and energy optimization, where groundbreaking ideas are propelling us toward a more sustainable and energy-efficient future.

The introduction of transformer-based equalization methods in battery systems has brought about significant advantages, particularly in terms of ease of isolation, control flexibility, and overall efficiency improvement. One notable study in this domain is the research conducted by Li *et al.* [96] in 2019, which introduced a novel approach known as the unitized multi-winding transformer-based equalization method [96]. This method aims to address the challenges associated with battery equalization and offers a promising solution to enhance battery pack performance. The core concept of this approach is elucidated through its proposed equalization topology, comprising three key components: the battery unit, the equalization unit, and the controller. The battery unit is divided into distinct groups, referred to as equalization subunits, each of which plays a role in the equalization process. This division allows for a more targeted and efficient equalization strategy, as it focuses on managing specific subsets of cells rather than treating the entire battery pack as a homogeneous entity.

At the heart of this approach is the integration of a transformer, which serves as a pivotal element in achieving effective equalization. The primary winding of the transformer is connected to the ends of the battery pack, enabling the transfer of charge between cells. Importantly, the research conducted by Li *et al.* [96] delves into two primary operation principles based on the direction of charge transfer: battery pack to battery pack and battery unit to battery pack. The investigation into these operation principles is supported by a comprehensive testing procedure. The results are presented in a graphical format, where two sets of panels are displayed for each operation principle. On the left side of the panels, simulation results are showcased, while on the right side, experimental results are presented. This format allows for a thorough comparison between the theoretical predictions and the real-world outcomes, offering a comprehensive understanding of the method's effectiveness.



In the case of the battery pack to battery pack operation principle, the research elucidates the nuances of charge transfer and equalization using the proposed method. The utilization of both simulation and experimental procedures underscores the method's practicality and applicability in real-world scenarios. By analyzing the consistency between the simulation and experimental results, the research establishes the reliability and feasibility of the unitized multi-winding transformer-based equalization approach. The development of efficient balancing algorithms for lithium iron phosphate (LiFePO<sub>4</sub>) battery packs is a critical endeavor to enhance their performance and longevity. A novel balancing hardware topology and algorithm are proposed, drawing upon run-to-run control principles. The innovation lies in a dual-time-scale balancing algorithm, encompassing both time-wise and batch-wise aspects, resulting in a promising approach to address the challenges associated with battery balancing.

Tang *et al.* [113] present an illustrative depiction of the proposed balancing hardware topology. This design centers around the application of run-to-run control, which involves monitoring the battery pack's behavior over consecutive cycles and adjusting the balancing process accordingly. The key highlight is the introduction of a new balancing algorithm that operates on two distinct time scales. This approach represents a departure from conventional algorithms that solely rely on parameters such as state of health (SoH) and state of charge (SoC), which often introduce computational complexities and strain on the battery management system (BMS) microprocessor. The algorithm's innovative nature lies in its model-free characteristics, as it doesn't require information about the battery's SoH or SoC. By circumventing the need for such data, the computational burden on the BMS is reduced, leading to streamlined and more efficient balancing operations. This model-free approach simplifies the system's complexity and enhances its adaptability to various battery configurations and conditions [113]. For the experimental evaluation of this novel approach, a physical balancing system is constructed. To monitor the battery voltage, the module LTC6803 is employed for data logging purposes. This setup allows for the collection of precise and reliable voltage measurements during the testing phase. To assess the effectiveness of the proposed topology and algorithm, a comparative study is conducted against a conventional voltage-based balancing algorithm. The comparison is performed in terms of voltage recordings over time, a critical indicator of the balancing process's performance. The experimental results reveal that the proposed design demonstrates superior capabilities. Specifically, the proposed algorithm enables the battery pack to maintain balanced voltage levels for an extended duration of 25.11 hours, outperforming the conventional algorithm's performance of 23.86 hours.

The comprehensive evaluation of battery performance is crucial for ensuring their reliability and optimizing their utilization. To achieve this, a sophisticated system is introduced, comprised of a battery testing device provided by Newware Ltd., a data collecting system, and a set of lithium-ion cells, as illustrated in Figure 4(a). This system is designed to gather vital information about the batteries, including voltage (V), temperature (°C), and capacity (Ah) in both charged and discharged states [114].

The information collected from the battery testing system serves as the foundation for subsequent analysis and decision-making. One of the primary analytical methods employed in this context is the k-means clustering algorithm. This algorithm is geared towards organizing similar data points into clusters based on predefined rules established by the user. By implementing k-means clustering, the system is able to group batteries with similar performance characteristics together. This grouping aids in identifying patterns, trends, and anomalies within the data, which can subsequently inform various aspects of battery management and usage.

In conjunction with the k-means clustering algorithm, the system also utilizes a support vector classifier (SVC) algorithm. SVC is a machine learning technique used for classification and regression tasks. In this context, it is employed to process the battery data and make comparisons based on performance attributes. The outcomes of the data processing and analysis are then presented in a comparative manner, with the results of the un-clustered data, k-means clustering, and SVC displayed in Figure 4(b) and Figure 4(c). The mean difference Figure 4(b) illustrates the average variation between different data sets, while the standard difference Figure 4(c) highlights the spread or distribution of values within these data sets. These visualizations provide a clear understanding of the impact of the k-means clustering algorithm and SVC on the battery performance data, allowing for insights into the effectiveness of these processing methods in identifying patterns and optimizing battery usage.

The system described here represents a robust approach to evaluating battery performance through a battery testing device, data collection, and advanced data analysis techniques. The combination of k-means clustering and SVC algorithms enables the system to derive valuable insights from the collected data, facilitating informed decision-making for battery management and optimization. The presentation of results through mean and standard difference comparisons provides a quantitative assessment of the impact of these algorithms on the data, showcasing their potential to enhance battery performance assessment and contribute to the overall efficiency and reliability of battery systems.

Lithium-ion batteries have become the go-to choice for powering electric-powered wheelchairs (EPWs) due to their inherent advantages, including flexibility, low maintenance requirements, and minimal self-discharge rates. However, these batteries also come with limitations, notably in terms of their low power

density and charging rate. Addressing these limitations head-on, a significant research effort has been dedicated to incorporating supercapacitors (SCs) into the EPW's power system. This endeavor aims to overcome the challenges associated with traditional lithium-ion batteries and enhance the overall performance of EPWs.

The proposed system for integrating supercapacitors into the EPW's power system is represented by the block diagram shown in Figure 5(a). This schematic offers a visual representation of the configuration designed to leverage the strengths of both lithium-ion batteries and supercapacitors. By combining these two energy storage technologies, the system aims to capitalize on the rapid charging and discharging capabilities of supercapacitors, while still benefiting from the energy density and longevity of lithium-ion batteries. To rigorously evaluate the performance of this proposed hybrid system, an experimental testing phase was carried out. The results of this testing are presented in various panels, each shedding light on different aspects of the system's performance.

In Figure 5(b), the investigation focuses on the fast-charging characteristics of the hybrid system. This analysis aims to demonstrate how the incorporation of supercapacitors enhances the charging speed, potentially mitigating the issue of slow charging often associated with conventional lithium-ion batteries. Figure 5(c) delves into a comparative assessment of the fast-charging performance of the proposed hybrid system and its conventional counterparts. This direct comparison offers insights into the improvements achieved by integrating supercapacitors and highlights the advantages of this hybrid approach in terms of charging efficiency. Finally, Figure 5(d) shifts the focus to the performance of the EPW itself, assessing factors such as speed and distance covered over time. This comprehensive analysis provides a holistic understanding of how the hybrid system impacts the overall operation of the EPW, encompassing both its energy management and mobility aspects [115].




Figure 4. A study conducted by [114]: (a) data collecting system, and the lithium-ion cells, (b) experimental results testing: voltage (V), temperature (°C), and capacity (Ah) both in charged and discharged state, and (c) standard difference




Figure 5. A study conducted by [115]: (a) the proposed system for use in EPW is shown as block diagram, (b) performance of the proposed system, (c) comparing the fast-charging performance to its conventional counterparts, and (d) the performance of the EPW

In essence, this research endeavors to enhance the capabilities of electric-powered wheelchairs by leveraging the synergies between lithium-ion batteries and supercapacitors. The block diagram, experimental testing, and results visualization collectively offer a detailed exploration of the proposed hybrid system's potential benefits. By effectively addressing the limitations of lithium-ion batteries through the integration of supercapacitors, this research contributes to the advancement of electric mobility solutions, ultimately aiming to provide improved performance, faster charging, and enhanced overall user experience in electric-powered wheelchairs.

Advancements in algorithms have paved the way for more sophisticated control strategies in various fields, including energy management. One notable innovation is the integration of multi-agent systems (MAS) to enhance state of charge (SoC) based droop control. This development holds potential to optimize energy distribution and coordination within microgrids. The proposed MAS implementation is meticulously verified through simulation using MATLAB/Simulink, with a microgrid model depicted in Figure 6(a) as the testing ground. The verification process encompasses four distinct stages, each of which yields valuable insights into the performance of the MAS-based system. The collected results are categorized into key parameters, offering a comprehensive evaluation of the system's effectiveness. In Figure 6(b), the assessment focuses on active power. This parameter is pivotal in understanding how the MAS-based system influences the distribution and utilization of energy within the microgrid. Changes in active power profiles highlight the improvements brought about by the MAS approach. Figure 6(b) delves into the state of charge (SoC) outcomes. SoC serves as an indicator of battery health and performance. Analyzing how the MAS-controlled system affects SoC provides critical information about the system's ability to manage energy storage and discharge efficiently.

The judgment signal, crucial in the control decision-making process, is assessed in Figure 6(b). This signal reveals the system's response to various conditions and disturbances, showcasing how the MAS-based control strategy guides the microgrid's actions. Taking a broader perspective, the research also investigates the impact of communication delay on the system's performance. Varying communication delays of 0.01 s, 0.1 s, and 1 s are tested. The effect of these delays on SoC, active power, and frequency are analyzed in panel, shedding light on the system's resilience and adaptability to communication constraints.




Figure 6. A study conducted by [116]: (a) implementation of multi-agent system (MAS) and (b) four stages verification

The introduction of multi-agent systems for SoC-based droop control represents a significant step forward in energy management within microgrids. The rigorous simulation-based verification process using MATLAB/Simulink provides a comprehensive understanding of the system's behavior. The assessment of active power, SoC, frequency, judgment signal, and the impact of communication delay offers a multifaceted

evaluation of the proposed MAS implementation. This research underscores the potential of MAS to enhance microgrid operation and contributes to the broader conversation surrounding advanced control strategies for efficient and reliable energy distribution.

The quest for effective battery balancing techniques has led to the exploration of various methodologies. One well-established approach is the conventional cuk converter balancing technique, designed for the purpose of equalizing circuitry. The fundamental concept behind this technique centers on utilizing a cuk converter configuration to manage battery imbalances, as illustrated in Figure 7(a). Comparatively, an alternative solution is presented through the buck boost converter balancing circuit, showcased in Figure 7(b). This circuit diagram introduces a distinct configuration from the conventional cuk converter, offering an innovative perspective on battery equalization strategies.

The proposed design introduces a noteworthy modification to the cuk converter's structure by incorporating coupled inductors, as depicted in Figure 7(c). This alteration aims to enhance the equalization process, potentially leading to improved performance compared to the conventional techniques. To thoroughly assess the viability and efficacy of both the conventional cuk converter and the proposed buck boost converter with coupled inductors, simulation studies were conducted using MATLAB. These simulations provide a virtual environment to model the behaviors of the respective circuits, enabling researchers to evaluate their potential outcomes and performance characteristics. Moving beyond simulation, the proposed system's real-world capabilities were further explored through experimental investigations. The setup involves an arrangement of 8 cells in a series configuration, reflecting a practical scenario. The focus of this investigation centers on the system's efficiency, a crucial factor in determining the practicality and effectiveness of the proposed design. The results of this investigation are presented in Figure 7(d), offering insights into the system's performance and efficiency under real-world conditions.




Figure 7. A study conducted by [117]: (a) a conventional cuk converter balancing technique, (b) circuit diagram of buck boost converter balancing circuit, (c) the proposed design modifies the cuk converter by replacing inductors with coupled inductors, and (d) experimental testing result

In the realm of battery management and equalization technology, the pursuit of innovative solutions continues to drive advancements. This research unveils a novel development in the realm of equalization techniques, introducing the application of coupled inductors. A comparative analysis is presented, contrasting the conventional equalizer circuitry (depicted in Figure 8(a)) with the proposed circuitry employing coupled inductors. To validate the effectiveness and practicality of these proposed circuit topologies, a comprehensive verification process is carried out. This verification involves the creation of models and simulations within the MATLAB/Simulink environment, emulating the behavior of the systems when connected to a configuration of eight battery cells. The outcomes of the simulations are meticulously examined and compared for both the conventional and proposed designs. The comparative assessment is facilitated through a detailed evaluation of key parameters, visualized in Figure 8(b).

In Figure 8(b), the focus is directed towards cell voltage, which plays a pivotal role in battery equalization. This parameter reflects the performance of the equalization circuits in maintaining balanced voltages across the battery cells. By analyzing the cell voltage profiles, the research offers insights into how effectively each design mitigates voltage imbalances. Figure 8(b) shifts the attention to inductor voltage, an integral aspect of the coupled inductor approach. This parameter highlights the behavior of the inductor components and their role in the equalization process. The comparison between the conventional and proposed designs sheds light on the improvements introduced by the novel circuit configuration. Similarly, inductor current, visualized in Figure 8(b), is examined to discern the flow of current through the coupled inductor system. This parameter further enriches the understanding of the proposed circuit's operational dynamics and its ability to manage the equalization process.

The research extends beyond simulation to practical experimentation. An experimental testing phase is conducted to validate the real-world performance of the proposed design. Moreover, the efficiency of the proposed system is quantitatively assessed, providing valuable insights into its operational effectiveness and energy utilization. The research showcases an innovative approach to battery equalization through the utilization of coupled inductors. The comparison between conventional and proposed circuit designs, supported by simulations and experimental results (Figure 8(c)), offers a holistic evaluation of the system's capabilities. By examining cell voltage, inductor voltage, inductor current, and efficiency, the research paints a comprehensive picture of the benefits introduced by this novel equalization technology. This development contributes to the ongoing evolution of battery management strategies and provides valuable insights for enhancing the performance and longevity of battery systems in various applications.




Figure 8. A study conducted by [118]: (a) the comparison for circuitry of conventional based equalizer, (b) the results of conventional and proposed design, and (c) experimental testing result

The study conducted by Wang *et al.* [119] delves into the exploration of switched capacitors and their potential applications in power electronics. This research focuses on two distinct arrangements: the series arrangement, depicted in Figure 9(a), and the parallel arrangement, illustrated in Figure 9(b). These circuit configurations are intended to leverage the advantages of switched capacitors for power conversion and regulation. The series arrangement and the parallel arrangement (Figures 9(a) and 9(b) each present a unique configuration that harnesses switched capacitors to achieve specific power management goals. By varying the voltage ratio, these arrangements aim to optimize the conversion of electrical energy, catering to a wide range of applications.

To comprehensively assess the behavior and efficiency of these configurations, the researchers utilize the PSIM software for simulation. This simulation approach allows for a controlled and repeatable exploration of the circuit dynamics under ideal conditions. By accounting for idealized considerations, the study establishes a baseline understanding of the circuit's behavior and performance.

The results of the simulations are presented in Figure 9(c), offering valuable insights into the impact of varying voltage ratios on the system's behavior. These visualizations provide a detailed view of how the switched capacitors perform under different conditions, shedding light on key performance metrics such as efficiency, power conversion, and voltage regulation. By conducting this study, Wang *et al.* [119] contribute to the field of power electronics and energy conversion by highlighting the potential of switched capacitors in series and parallel arrangements. The figures and simulations provide a clear demonstration of the concepts at play and offer a foundation for further exploration and optimization. As technology evolves, the findings from this research could potentially drive innovations in power electronics, with switched capacitors serving as key components for enhanced energy management, voltage regulation, and efficient power conversion.




Figure 9. A study conducted by [119]: application of switched capacitors (a) both in series arrangement, (b) parallel arrangement, and (c) PSIM software simulation

The concept of a reconfigurable equilibrium circuit represents an intriguing approach to addressing cell imbalances within a battery pack [120]. This strategy is predicated on optimizing the conversion efficiency of individual components to achieve balanced performance among the cells. However, a trade-off emerges in the form of voltage fluctuations during the balancing process. To mitigate these fluctuations, this study introduces an innovative proposal: the incorporation of a power supply to replace one of the battery cells, as highlighted in Figure 10(a) through the circuit diagram.

At the core of this study is the experimental investigation aiming to validate the proposed approach. To simulate real-world conditions, the researchers employ eight battery cells, each with varying initial state of charge (SoC) levels, as illustrated in Figure 10(b). The reconfigurable equilibrium circuit seeks to optimize cell balancing by carefully considering the conversion efficiencies of the components involved. This holistic strategy aims to enhance the overall performance and longevity of battery packs by minimizing cell imbalances. However, as mentioned, this process can introduce voltage fluctuations that impact the stability of the system. To address this challenge, the study introduces an intriguing solution: replacing one of the battery cells with a power supply. This innovative modification aims to leverage the steady output of the power supply to mitigate the voltage fluctuations during the balancing process. This approach not only provides a novel way to stabilize the system but also offers insights into the broader potential of utilizing external power sources for enhanced control and stability within battery systems.




Figure 10. A study conducted by [120]: (a) reconfigurable equilibrium circuit works of the use of power supply to replace battery cell and (b) experimental testing result

The experimental testing stage, utilizing eight battery cells with varying initial SoC levels, serves to validate the feasibility and efficacy of the proposed strategy. This real-world testing helps to quantify the impact of the reconfigurable equilibrium circuit and the power supply replacement in practical scenarios, further bolstering the study's findings and implications. The study's innovative reconfigurable equilibrium circuit and power supply replacement concept contribute to the growing body of research in battery management systems. By addressing voltage fluctuations and leveraging external power sources, this research provides valuable insights into the potential for enhanced stability and control in battery pack balancing. The experimental testing with varying initial SoC levels adds a practical dimension to the study's theoretical foundations, fostering a deeper understanding of the proposed strategies' implications for battery management and optimization.

While battery active equalizers offer compelling benefits for energy storage systems, they are not without challenges. As this technology continues to evolve and find broader applications, addressing these challenges becomes essential. In this section, we explore some of the key challenges associated with battery active equalization and potential solutions to overcome them. One of the primary challenges of implementing



active equalization is the initial cost and complexity of the technology. Active equalizers require advanced control electronics and power conversion circuits, which can add to the overall cost of an energy storage system. However, as the demand for active equalizers increases and manufacturing scales up, economies of scale can drive down production costs. Additionally, ongoing research and development efforts aim to simplify the design and reduce the complexity of active equalization systems, making them more accessible and cost-effective. Despite being more efficient than passive equalization, active equalizers can still incur energy losses during the balancing process. High-frequency switching, while improving efficiency, may introduce switching losses. To address this, continuous advancements in power electronics technology are being made to minimize these losses and enhance the overall efficiency of active equalization systems.

Additionally, optimizing control algorithms and fine-tuning balancing strategies can further reduce energy losses and improve system efficiency. Active equalization systems generate heat during the balancing process, and proper thermal management is essential to ensure the reliable and safe operation of the energy storage system. Thermal management solutions, such as passive and active cooling techniques, can be employed to dissipate heat efficiently. Implementing temperature sensors and thermal feedback systems in active equalizers can help regulate the balancing process, preventing overheating and promoting a stable operating temperature range. As battery packs in energy storage systems grow larger, ensuring efficient and uniform balancing across all cells becomes increasingly challenging. Distributed balancing solutions offer a promising approach to address scalability concerns. By distributing equalizers across the battery pack and managing smaller subsets of cells individually, distributed balancing can improve the overall balancing efficiency and fault tolerance of the energy storage system. Energy storage systems often comprise diverse battery chemistries and configurations. Ensuring compatibility and seamless integration of active equalizers with different battery types can be a challenge. Industry standards and protocols can help address this issue, establishing guidelines for manufacturers to design active equalizers that can work effectively with a wide range of battery chemistries and systems. The safety and reliability of active equalization systems are of utmost importance, especially in critical applications. Implementing robust safety features, such as real-time monitoring, fault detection, and redundant equalizers, can enhance the safety and reliability of energy storage systems. Rigorous testing and certification processes can further validate the performance and safety of active equalization technology.

The findings from the various research studies encompass a range of innovative approaches and strategies for battery cell equalization in different contexts. These studies have explored techniques such as active balancing, novel circuit topologies, multi-winding transformers, switched-capacitor converters, and more, to address the challenge of maintaining uniform cell states in battery packs. The common thread among these findings is the pursuit of efficient, cost-effective, and reliable solutions to enhance battery performance, lifespan, and safety. However, a notable gap in these findings is the need for standardized evaluation metrics and benchmarks to comprehensively compare the efficiency, effectiveness, and feasibility of different equalization methods across various battery chemistries, pack sizes, and usage scenarios. Such standardized metrics would enable researchers and practitioners to make more informed decisions when selecting and implementing battery equalization strategies, ultimately driving advancements in battery technology for diverse applications.

However, while these findings offer valuable insights, they also highlight a crucial gap that exists across the research landscape. This gap centers on the absence of standardized evaluation metrics and benchmarks to rigorously assess and compare the efficacy of the different proposed equalization methods. The lack of a unified framework for performance assessment makes it challenging to draw direct comparisons between various strategies, as their effectiveness can be contingent on factors such as battery chemistry, pack configuration, and operational conditions. This gap impedes the establishment of clear guidelines for selecting the most appropriate equalization technique for a given application. To address this gap, future research should focus on establishing standardized evaluation protocols that encompass a comprehensive range of battery types, pack sizes, and usage scenarios. This could involve developing metrics that consider not only balancing efficiency but also factors such as energy losses, implementation complexity, scalability, and long-term durability. Additionally, efforts to create an open repository of benchmark datasets, simulation models, and experimental results could facilitate collaborative research and accelerate the advancement of battery equalization technology. In conclusion, while the existing research findings highlight promising pathways to effective battery cell equalization, the absence of standardized evaluation metrics poses a challenge to objectively assessing and comparing these methods. Bridging this gap by developing a universal framework for performance assessment would enable researchers and practitioners to make informed decisions when selecting and implementing battery equalization strategies, ultimately accelerating the evolution of energy storage systems and their widespread adoption across various sectors.

The integration of battery active equalizers in energy storage systems has far-reaching implications for environmental sustainability and energy transition efforts. Active equalization technology offers several significant environmental benefits and contributes to a greener future. By ensuring uniform cell performance and minimizing energy losses, active equalizers enhance the ability of energy storage systems to store and deliver electricity efficiently, facilitating the seamless integration of renewable energy sources into the grid.

This contributes to reducing dependence on fossil fuels and lowering greenhouse gas emissions. Moreover, active equalizers actively manage cell states of charge, promoting uniform cell performance and reducing stress on individual cells. As a result, active equalization technology prolongs the lifespan of batteries, reducing the frequency of battery replacements and minimizing waste generation from used batteries. Improved energy storage efficiency, enabled by active equalization, maximizes the utilization of clean energy resources, reducing energy waste and minimizing the environmental footprint of energy storage technologies.

The implementation of active equalization technology in energy storage systems also promotes second-life battery use, repurposing batteries at the end of their useful life for stationary energy storage. This extends their useful life and reduces the demand for new battery production, contributing to a circular economy for batteries and reducing electronic waste. Energy storage systems equipped with active equalizers can provide grid stabilization services and support peak load management, rapidly responding to grid imbalances and fluctuations. This contributes to grid stability, reduces the need for fossil fuel-based peaker plants, and lowers greenhouse gas emissions, promoting a cleaner energy grid.

The seamless integration of battery active equalizers into energy storage systems is a crucial aspect of maximizing their benefits and optimizing overall system performance. As energy storage technologies play an increasingly pivotal role in the global energy transition, active equalization technology emerges as a key enabler in realizing the full potential of energy storage systems. In the realm of electric mobility, battery active equalizers hold immense significance in improving the performance and safety of electric vehicles (EVs). The adoption of lithium-ion batteries in EVs has been instrumental in advancing the electric mobility revolution, but cell imbalances remain a persistent challenge. Uneven cell voltages can lead to capacity discrepancies, accelerated aging, and potentially hazardous conditions in EV battery packs. Active equalization plays a pivotal role in addressing these issues. By actively monitoring cell voltages and redistributing charge as needed, active equalizers ensure that cells operate within their optimal voltage range. This prevents overcharging or over discharging of individual cells, promoting uniform cell performance and extending the lifespan of the entire battery pack. As a result, active equalizers contribute to safer and more reliable EV battery packs, translating into increased driving range, improved charging efficiency, and enhanced user satisfaction.

In the context of grid-scale energy storage, where battery packs can comprise hundreds or even thousands of cells, active equalization is paramount for efficient and reliable operation. As the deployment of renewable energy sources, such as solar and wind power, continues to rise, grid-scale energy storage is becoming increasingly essential to stabilize the grid and balance supply and demand fluctuations. Cell imbalances in large battery packs can lead to suboptimal performance, reduced capacity utilization, and safety risks. Active equalizers play a crucial role in managing these imbalances. Their real-time monitoring capabilities and dynamic balancing strategies ensure that all cells within the battery pack operate within safe and uniform voltage ranges. By preventing overcharging or undercharging of cells, active equalizers contribute to grid stability, enhance the overall efficiency of grid-scale storage systems, and enable seamless integration of renewable energy sources into the electricity grid.

The integration of battery active equalizers into residential energy storage solutions empowers homeowners to make the most of their solar energy systems. With increasing adoption of rooftop solar panels, residential energy storage solutions are gaining popularity as a means to store excess solar energy for use during peak demand or at times when solar generation is insufficient. Active equalization technology optimizes the performance of home battery systems. By actively managing cell voltages and preventing imbalances, active equalizers ensure that all cells contribute to the energy storage capacity effectively. This maximizes the usable energy stored in the battery pack and reduces energy waste. Moreover, by promoting uniform cell operation, active equalizers extend the lifespan of residential battery systems. This is particularly crucial for homeowners looking to make a long-term investment in sustainable energy solutions. By reducing the frequency of battery replacements, active equalizers contribute to the economic viability of residential energy storage and offer a more sustainable approach to harnessing solar energy for homeowners.

The adoption of battery active equalizers is gaining momentum across various industries as the demand for efficient and reliable energy storage solutions continues to grow. Industry stakeholders, including battery manufacturers, energy storage system integrators, and technology developers, recognize the significant role of active equalization technology in advancing the energy storage landscape. As technology advancements continue and production costs decline, active equalizers are becoming more economically viable and accessible. The growing interest in sustainable energy solutions and the need to address environmental concerns are further driving the market for active equalization technology.

Market analysts project a positive outlook for the battery active equalizer market, with steady growth expected in the coming years. As more energy storage projects are deployed worldwide, active equalization technology will play an increasingly critical role in optimizing battery performance, promoting safety, and ensuring the long-term viability of energy storage systems. Moreover, research and development efforts in the active equalization sector are focused on continuous innovation, exploring novel materials, control algorithms,

and integration techniques. These developments aim to further improve the efficiency, reliability, and scalability of active equalization systems, making them even more attractive for a wide range of energy storage applications. In conclusion, the integration of battery active equalizers into energy storage systems holds immense promise for shaping a more sustainable and efficient energy future. With industry perspectives pointing towards a positive market outlook and ongoing advancements in technology, active equalization is poised to be a key enabler in unlocking the full potential of energy storage systems, supporting renewable energy integration, and advancing the transition towards a greener and more resilient energy landscape.

#### 4. CONCLUSION

Advancements in technology have led to a profound transformation in various fields, and the realm of Battery active equalizers represent a transformative technology that plays a pivotal role in shaping the future of energy storage systems. As the world seeks cleaner, more efficient, and sustainable energy solutions, active equalization technology emerges as a key enabler in realizing the full potential of energy storage and advancing the global energy transition. In this review article, we explored the development of active equalizers and their significance in optimizing energy storage systems. Active equalization technology offers a multitude of benefits, ranging from enhancing battery lifespan and performance to optimizing energy storage efficiency and ensuring safety and reliability. By actively managing cell voltages, active equalizers mitigate cell imbalances, minimize energy losses, and improve the overall efficiency and reliability of energy storage systems. Moreover, active equalizers contribute significantly to environmental sustainability and the transition to cleaner energy sources.

By promoting the integration of renewable energy into the grid, prolonging battery life, and enabling second-life battery use, active equalization supports efforts to reduce greenhouse gas emissions and combat climate change. Despite the challenges associated with cost, complexity, and scalability, ongoing advancements in technology and research are addressing these obstacles, making active equalizers more economically viable, efficient, and accessible. The industry perspectives and market outlook indicate a positive trajectory for active equalization technology, with steady growth expected in the coming years. The seamless integration of active equalizers into various energy storage applications, including electric vehicles, grid-scale installations, and residential energy storage solutions, further emphasizes the versatility and significance of this technology. Active equalization's role in optimizing performance, safety, and efficiency in these applications underscores its potential to revolutionize the energy storage landscape. In conclusion, the integration of battery active equalizers represents a pivotal step towards a sustainable and efficient energy future. With ongoing research, technological advancements, and the commitment of industry stakeholders, active equalization technology is poised to play a critical role in unlocking the full potential of energy storage systems, promoting renewable energy integration, and advancing the global transition to a greener and more resilient energy landscape. As active equalizers continue to evolve and find widespread applications, they are poised to become a cornerstone of the sustainable energy solutions needed to address the challenges of the 21st century.

#### ACKNOWLEDGEMENTS

The author thanks Universitas Sebelas Maret for the research funding under the scheme “Penelitian Unggulan Terapan (PUT) 2023”, contract number: 228/UN27.22/PT.01.03/2023.

#### REFERENCES

- [1] Y. Wang, J. Liang, X. Huang, X. Geng, and Z. Chen, “Research of energy equalization technology for aircraft battery,” *Hangkong Xuebao/Acta Aeronautica et Astronautica Sinica*, vol. 38, no. 5, 2017, doi: 10.7527/S1000-6893.2016.0307.
- [2] L. Liu, W. Sun, P. Han, R. Mai, Z. He, and L. Bo, “Active balancing of lithium-ion battery cells using WPT as an energy carrier,” *IET Power Electronics*, vol. 12, no. 10, pp. 2578–2585, 2019, doi: 10.1049/iet-pel.2018.6177.
- [3] R. Ramaprabha, S. Ajay, G. Deepika, and S. Maneesha, “Implementation of an active battery balancer using fly-back transformer,” *ARPN Journal of Engineering and Applied Sciences*, vol. 9, no. 8, pp. 1344–1347, 2014.
- [4] J. Han, S. Yang, X. Liu, and W. Yang, “An active direct cell-to-cell balancing circuit in continuous current mode for series connected batteries,” *Energies*, vol. 12, no. 20, 2019, doi: 10.3390/en12203978.
- [5] C. H. Kim, M. Y. Kim, and G. W. Moon, “Individual cell equalizer using active-clamp flyback converter for Li-ion battery strings in an electric vehicle,” in *2012 IEEE Vehicle Power and Propulsion Conference, VPPC 2012*, 2012, pp. 327–332, doi: 10.1109/VPPC.2012.6422663.
- [6] S. Singh and V. Verma, “Multimode-Multilevel Bidirectional Converter for Target Battery Equalization in a Tandem Connected Battery Units,” in *2022 IEEE 13th International Symposium on Power Electronics for Distributed Generation Systems, PEDG 2022*, 2022, vol. 2022-Janua, doi: 10.1109/PEDG54999.2022.9990363.
- [7] J. Zhao, R. Ling, S. Liu, and D. Li, “Bus battery equalization with nonlinear energy efficiency and time efficiency,” *IEEE Power and Energy Society General Meeting*, vol. 2021-July, 2021, doi: 10.1109/PESGM46819.2021.9638069.
- [8] H. Y. Pai, K. C. Ho, G. J. Chen, P. H. Liao, S. C. Wang, and Y. H. Liu, “An SOC-based Active Equalizer for Fast Charge Balance of Series-Connected Battery Pack,” *IEEE International Symposium on Industrial Electronics*, vol. 2020-June, pp. 655–659, 2020, doi: 10.1109/ISIE45063.2020.9152488.

- [9] S. Li, S. Liang, Z. Li, and S. Zheng, "A Phase-Shift-Modulated Resonant Two-Switch Boosting Switched-Capacitor Converter and Its Modulation Map," *IEEE Transactions on Industrial Electronics*, vol. 70, no. 8, pp. 7783–7795, 2023, doi: 10.1109/TIE.2021.3099252.
- [10] W. Yang, J. Han, X. Liu, and S. Yang, "An active cell-to-cell balancing circuit with planar coupled inductors for series connected batteries," *2019 IEEE 4th International Future Energy Electronics Conference, IFEEC 2019*, 2019, doi: 10.1109/IFEEC47410.2019.9014977.
- [11] R. R. Thakkar, Y. S. Rao, and R. R. Sawant, "Comparative Performance Analysis on Passive and Active Balancing of Lithium-Ion Battery Cells," 2021, doi: 10.1109/INDICON52576.2021.9691538.
- [12] X. Yang, Z. Jia, D. Wang, B. Nie, X. Zhao, and Y. Su, "An integrated equalization charger for series-connected energy storage cells," *International Journal of Circuit Theory and Applications*, vol. 50, no. 7, pp. 2548–2565, 2022, doi: 10.1002/cta.3276.
- [13] Z. Y. Liu, D. W. Xia, L. Y. Yao, and K. Yang, "Research on active balancing scheme of lithium battery pack based on coupled winding," *Dianji yu Kongzhi Xuebao/Electric Machines and Control*, vol. 25, no. 2, pp. 54–64, 2021, doi: 10.15938/j.emc.2021.02.007.
- [14] Y. K. Tai, Y. H. Lin, and K. I. Hwu, "Smart active battery charger for prototypal electric scooter," in *Proceedings - 2020 International Symposium on Computer, Consumer and Control, IS3C 2020*, 2020, pp. 268–271, doi: 10.1109/IS3C50286.2020.00076.
- [15] M. M. Tathode, S. K. Dam, P. Baiju, V. John, and U. Kundu, "Maximum Current Limit Equalization by Phase Shift Control of Multi-Active Half-Bridge Equalizer," 2022, doi: 10.1109/ECCE50734.2022.9947812.
- [16] S. C. Wang, C. Y. Liu, and Y. H. Liu, "A non-dissipative equalizer with fast energy transfer based on adaptive balancing current control," *Electronics (Switzerland)*, vol. 9, no. 12, pp. 1–23, 2020, doi: 10.3390/electronics9121990.
- [17] K. I. Hwu and H. P. Liu, "Series-type charger with output voltage automatically regulated and hot swap," *International Journal of Circuit Theory and Applications*, vol. 47, no. 4, pp. 633–639, 2019, doi: 10.1002/cta.2597.
- [18] Y. Yu, R. Saasaa, A. A. Khan, and W. Eberle, "A Series Resonant Energy Storage Cell Voltage Balancing Circuit," *IEEE Journal of Emerging and Selected Topics in Power Electronics*, vol. 8, no. 3, pp. 3151–3161, 2020, doi: 10.1109/JESTPE.2019.2914706.
- [19] D. G. Elvira, H. Valderrama Blavi, J. M. Bosque Moncusi, A. Cid Pastor, J. A. Garriga Castillo, and L. Martinez Salamero, "Active battery balancing via a switched DC/DC Converter: Description and performance analysis," 2019, doi: 10.1109/ELMA.2019.8771697.
- [20] Y. C. Chang, S. C. Wang, Y. H. Liu, and Y. F. Luo, "An Active Fast Equalizer for Series-Connected Batteries with Adaptive Balancing Current Control," *ITEC Asia-Pacific 2018 - 2018 IEEE Transportation Electrification Conference and Expo, Asia-Pacific: E-Mobility: A Journey from Now and Beyond*, 2018, doi: 10.1109/ITEC-AP.2018.8433309.
- [21] K. W. See, K. C. Lim, S. Batterially, and N. Zhang, "Charge-Based Self-Equalization for Imbalance Battery Pack in an Energy Storage Management System: Developing a Time-Based Equalization Algorithm," *IEEE Consumer Electronics Magazine*, vol. 8, no. 2, pp. 16–21, 2019, doi: 10.1109/MCE.2018.2880805.
- [22] J. L. Sun, R. G. Lu, G. Wei, C. B. Zhu, G. L. Wu, and B. L. Xu, "Design and realization of active equalizer for lithium battery string," *Dianji yu Kongzhi Xuebao/Electric Machines and Control*, vol. 17, no. 10, pp. 33–38, 2013.
- [23] Y. Di and H. Chen, "A Novel Li-ion Battery Equalizer Circuit Design Based on LC Resonant Tank," *DEStech Transactions on Computer Science and Engineering*, no. icaic, 2019, doi: 10.12783/dtsc/icaic2019/29461.
- [24] X. Li, J. Xu, S. Xu, S. Zhuang, and F. Qin, "Two-switch equaliser for series-connected battery stack using zeta type converter and symmetrical capacitor-diode circuit," *Electronics Letters*, vol. 53, no. 24, pp. 1600–1602, 2017, doi: 10.1049/el.2017.3501.
- [25] N. S. Mubenga, "The Efficiency Measuring Apparatus for the Design of Li-Ion Batteries Equalizers," in *Proceedings of the IEEE National Aerospace Electronics Conference, NAECON*, 2021, vol. 2021-Augus, pp. 18–24, doi: 10.1109/NAECON49338.2021.9696391.
- [26] P. Wang *et al.*, "A new layered bidirectional equalizer based on a novel resonant voltage balance converter for the battery voltage active equalization of energy storage system," *IET Power Electronics*, vol. 15, no. 16, pp. 1877–1893, 2022, doi: 10.1049/pel2.12355.
- [27] J. Lv, W. Song, Z. Feng, Y. Li, and Y. Ding, "Performance and comparison of equalization methods for lithium ion batteries in series," *International Journal of Energy Research*, vol. 45, no. 3, pp. 4669–4680, 2021, doi: 10.1002/er.6130.
- [28] Y. Li, B. Xia, and J. Cao, "A Modularized Equalizer for Large-Scale Battery Packs Based on Model Predictive Control," *2022 5th International Conference on Power and Energy Applications, ICPEA 2022*, pp. 599–608, 2022, doi: 10.1109/ICPEA56363.2022.10052635.
- [29] X. Li, J. Xu, S. Xu, F. Qin, and S. Zhuang, "Modularised non-isolated two-switch equaliser using full-wave voltage multiplier for series-connected battery/super-capacitor," *IET Power Electronics*, vol. 12, no. 4, pp. 869–877, 2019, doi: 10.1049/iet-pel.2018.5567.
- [30] L. Wu, K. Pang, Y. J. Zheng, P. Huang, and Y. Chen, "A multi-module equalization system for lithium-ion battery packs," *International Journal of Energy Research*, vol. 46, no. 3, pp. 2771–2782, 2022, doi: 10.1002/er.7344.
- [31] N. S. Mubenga and T. Stuart, "Capacity Measurements for Second Life EV Batteries," *Electricity*, vol. 3, no. 3, pp. 396–409, 2022, doi: 10.3390/electricity3030021.
- [32] Y. Li and Y. Han, "A Module-Integrated Distributed Battery Energy Storage and Management System," *IEEE Transactions on Power Electronics*, vol. 31, no. 12, pp. 8260–8270, 2016, doi: 10.1109/TPEL.2016.2517150.
- [33] X. Lai, C. Jiang, Y. Zheng, H. Gao, P. Huang, and L. Zhou, "A novel composite equalizer based on an additional cell for series-connected lithium-ion cells," *Electronics (Switzerland)*, vol. 7, no. 12, 2018, doi: 10.3390/electronics7120366.
- [34] X. Sun, L. Zhu, P. Zhang, and M. Lin, "Design of active equalizer for lithium-ion battery pack based on double-tiered modular resonance," *Systems Science and Control Engineering*, vol. 6, no. 3, pp. 314–323, 2018, doi: 10.1080/21642583.2018.1558418.
- [35] M. Arias, J. Sebastián, M. M. Hernando, U. Viscarret, and I. Gil, "Practical Application of the Wave-Trap Concept in Battery - Cell Equalizers," *IEEE Transactions on Power Electronics*, vol. 30, no. 10, pp. 5616–5631, 2015, doi: 10.1109/TPEL.2014.2373435.
- [36] R. Ramaprabha, G. Deepika, S. Ajay, and S. Maneesha, "An active battery equalizer for series connected battery applications," in *2014 International Conference on Circuits, Power and Computing Technologies, ICCPCT 2014*, 2014, pp. 398–400, doi: 10.1109/ICCPCT.2014.7054875.
- [37] Y. Shang, Q. Zhang, N. Cui, and C. Zhang, "A cell-to-cell equalizer based on three-resonant-state switched-capacitor converters for series-connected battery strings," *Energies*, vol. 10, no. 2, 2017, doi: 10.3390/en10020206.
- [38] C. C. Sun, C. H. Chou, Y. L. Lin, and Y. H. Huang, "A Cost-Effective Passive/Active Hybrid Equalizer Circuit Design," *Energies*, vol. 15, no. 6, 2022, doi: 10.3390/en15062000.
- [39] N. S. Mubenga, B. Salami, and T. Stuart, "Bilevel vs. Passive Equalizers for Second Life EV Batteries," *Electricity*, vol. 2, no. 1, pp. 63–76, 2021, doi: 10.3390/electricity2010004.
- [40] T. Bat-Orgil, B. Dugarjav, and T. Shimizu, "Cell equalizer for recycling batteries from hybrid electric vehicles," *Journal of Power Electronics*, vol. 20, no. 3, pp. 811–822, 2020, doi: 10.1007/s43236-020-00064-0.
- [41] C. C. Hua, Y. H. Fang, and P. H. Li, "Charge equalisation for series-connected LiFePO4 battery strings," *IET Power Electronics*, vol. 8, no. 6, pp. 1017–1025, 2015, doi: 10.1049/iet-pel.2014.0567.




- [42] J. Cao, B. Xia, and J. Zhou, "An active equalization method for lithium-ion batteries based on flyback transformer and variable step size generalized predictive control," *Energies*, vol. 14, no. 1, 2021, doi: 10.3390/en14010207.
- [43] S. W. Lee, Y. G. Choi, and B. Kang, "Active charge equalizer of Li-Ion battery cells using double energy carriers," *Energies*, vol. 12, no. 12, 2019, doi: 10.3390/en12122290.
- [44] N. S. Mubenga, "A Bilevel Equalizer to Boost the Capacity of Second Life Li Ion Batteries.," 2020, doi: 10.11159/icaera20.02.
- [45] N. S. Mubenga, Z. Linkous, and T. Stuart, "A bilevel equalizer for large lithium ion batteries," *Batteries*, vol. 3, no. 4, 2017, doi: 10.3390/batteries3040039.
- [46] D. Simatupang and S. Y. Park, "Integration of Battery Impedance Spectroscopy With Reduced Number of Components Into Battery Management Systems," *IEEE Access*, vol. 10, pp. 114262–114271, 2022, doi: 10.1109/ACCESS.2022.3217095.
- [47] M. Uno and K. Yoshino, "Modular Equalization System Using Dual Phase-Shift-Controlled Capacitively Isolated Dual Active Bridge Converters to Equalize Cells and Modules in Series-Connected Lithium-Ion Batteries," *IEEE Transactions on Power Electronics*, vol. 36, no. 3, pp. 2983–2995, 2021, doi: 10.1109/TPEL.2020.3013653.
- [48] S. C. Wang, G. J. Chen, Y. H. Liu, Y. F. Luo, and Z. Z. Yang, "An active balancer with rapid bidirectional charge shuttling and adaptive equalization current control for lithium-ion battery strings," *International Journal of Energy Research*, vol. 46, no. 1, pp. 223–238, 2022, doi: 10.1002/er.6222.
- [49] E. Di Fazio, F. Porpora, M. Di Monaco, V. Nardi, and G. Tomasso, "Model-based Design Methodology for an Active Equalization Circuit based on a Multi-winding Transformer," in *2022 International Symposium on Power Electronics, Electrical Drives, Automation and Motion, SPEEDAM 2022*, 2022, pp. 418–423, doi: 10.1109/SPEEDAM53979.2022.9842159.
- [50] Y. X. Wang, H. Zhong, J. Li, and W. Zhang, "Adaptive estimation-based hierarchical model predictive control methodology for battery active equalization topologies: Part I—Balancing strategy," *Journal of Energy Storage*, vol. 45, 2022, doi: 10.1016/j.est.2021.103235.
- [51] Q. Ouyang *et al.*, "Module-Based Active Equalization for Battery Packs: A Two-Layer Model Predictive Control Strategy," *IEEE Transactions on Transportation Electrification*, vol. 8, no. 1, pp. 149–159, 2022, doi: 10.1109/TTE.2021.3095497.
- [52] L. Wang, X. Lu, H. Li, X. Li, J. Shen, and C. Chen, "Research on Equalization Strategy of Lithium Battery Pack Based on Multi-Layer Circuit," *Applied Sciences (Switzerland)*, vol. 12, no. 10, 2022, doi: 10.3390/app12104893.
- [53] X. Qi, Y. Wang, Y. Wang, and Z. Chen, "Optimization of Centralized Equalization Systems Based on an Integrated Cascade Bidirectional DC-DC Converter," *IEEE Transactions on Industrial Electronics*, vol. 69, no. 1, pp. 249–259, 2022, doi: 10.1109/TIE.2021.3055134.
- [54] E. Di Fazio, F. Porpora, M. Di Monaco, and G. Tomasso, "Performance Analysis of a Cell Equalizer based on a Multiple Active Bridge," 2023, doi: 10.1109/ESARS-ITEC57127.2023.10114886.
- [55] Y. Ye, J. Wang, and X. Wang, "A multi-winding transformer-based active cell equalizer with self-driven switches for series-connected lithium-ion batteries and super-capacitors," *Journal of Energy Storage*, vol. 70, 2023, doi: 10.1016/j.est.2023.107971.
- [56] K. Manjunath, R. Kalpana, B. Singh, and R. Kiran, "A Two-Stage Module Based Cell-to-Cell Active Balancing Circuit for Series Connected Lithium-Ion Battery Packs," *IEEE Transactions on Energy Conversion*, vol. 38, no. 4, pp. 2282–2297, 2023, doi: 10.1109/TEC.2023.3283424.
- [57] L. Liu *et al.*, "A Single-Magnetic Bidirectional Integrated Equalizer Using Multi-Winding Transformer and Voltage Multiplier for Hybrid Energy Storage System," *IEEE Transactions on Vehicular Technology*, vol. 72, no. 6, pp. 7318–7327, Jun. 2023, doi: 10.1109/TVT.2023.3241898.
- [58] F. Liu, R. Zou, Y. Liu, and Y. Wang, "A Modularized Voltage Equalizer Based on Phase-Shift Modulation for Series-Connected Battery Strings," *IEEE Transactions on Industrial Electronics*, vol. 70, no. 12, pp. 12475–12485, 2023, doi: 10.1109/TIE.2023.3239851.
- [59] Y. Liu, J. Meng, F. Yang, Q. Peng, J. Peng, and T. Liu, "A switchable indicator for active balance of the lithium-ion battery pack using a bypass equalizer," *Journal of Energy Storage*, vol. 68, 2023, doi: 10.1016/j.est.2023.107696.
- [60] L. Y. Kang, L. Wan, D. Xie, and P. Xu, "Inductive equalizer for series-connected lithium batteries based on reutilizing switches," *Dianji yu Kongzhi Xuebao/Electric Machines and Control*, vol. 27, no. 1, pp. 46–54, 2023, doi: 10.15938/j.emc.2023.01.005.
- [61] Y. H. Hsieh, T. J. Liang, S. M. O. Chen, W. Y. Horng, and Y. Y. Chung, "A novel high-efficiency compact-size low-cost balancing method for series-connected battery applications," *IEEE Transactions on Power Electronics*, vol. 28, no. 12, pp. 5927–5939, 2013, doi: 10.1109/TPEL.2013.2246584.
- [62] F. Baronti, G. Fantechi, R. Roncella, and R. Saletti, "High-efficiency digitally controlled charge equalizer for series-connected cells based on switching converter and super-capacitor," *IEEE Transactions on Industrial Informatics*, vol. 9, no. 2, pp. 1139–1147, 2013, doi: 10.1109/TII.2012.2223479.
- [63] Y. Shang, B. Xia, F. Lu, C. Zhang, N. Cui, and C. C. Mi, "A Switched-Coupling-Capacitor Equalizer for Series-Connected Battery Strings," *IEEE Transactions on Power Electronics*, vol. 32, no. 10, pp. 7694–7706, 2017, doi: 10.1109/TPEL.2016.2638318.
- [64] X. Wu, Z. Cui, X. Li, J. Du, and Y. Liu, "Control strategy for active hierarchical equalization circuits of series battery packs," *Energies*, vol. 12, no. 11, 2019, doi: 10.3390/en12112071.
- [65] W. Diao, N. Xue, V. Bhattacharjee, J. Jiang, O. Karabasoglu, and M. Pecht, "Active battery cell equalization based on residual available energy maximization," *Applied Energy*, vol. 210, pp. 690–698, 2018, doi: 10.1016/j.apenergy.2017.07.137.
- [66] N. Tashakor, E. Farjah, and T. Ghanbari, "A Bidirectional Battery Charger With Modular Integrated Charge Equalization Circuit," *IEEE Transactions on Power Electronics*, vol. 32, no. 3, pp. 2133–2145, 2017, doi: 10.1109/TPEL.2016.2569541.
- [67] M. Brandl *et al.*, "Batteries and battery management systems for electric vehicles," *Proceedings -Design, Automation and Test in Europe, DATE*, pp. 971–976, 2012, doi: 10.1109/date.2012.6176637.
- [68] M. Gao *et al.*, "An active and passive hybrid battery equalization strategy used in group and between groups," *Electronics (Switzerland)*, vol. 9, no. 10, pp. 1–21, 2020, doi: 10.3390/electronics9101744.
- [69] Y. Li, P. Yin, and J. Chen, "Active Equalization of Lithium-Ion Battery Based on Reconfigurable Topology," *Applied Sciences (Switzerland)*, vol. 13, no. 2, 2023, doi: 10.3390/app13021154.
- [70] X. Zheng, X. Liu, Y. He, and G. Zeng, "Active vehicle battery equalization scheme in the condition of constant-voltage/current charging and discharging," *IEEE Transactions on Vehicular Technology*, vol. 66, no. 5, pp. 3714–3723, 2017, doi: 10.1109/TVT.2016.2609920.
- [71] K. M. Lee, Y. C. Chung, C. H. Sung, and B. Kang, "Active cell balancing of Li-Ion batteries using LC series resonant circuit," *IEEE Transactions on Industrial Electronics*, vol. 62, no. 9, pp. 5491–5501, 2015, doi: 10.1109/TIE.2015.2408573.
- [72] K. M. Lee, S. W. Lee, Y. G. Choi, and B. Kang, "Active Balancing of Li-Ion Battery Cells Using Transformer as Energy Carrier," *IEEE Transactions on Industrial Electronics*, vol. 64, no. 2, pp. 1251–1257, 2017, doi: 10.1109/TIE.2016.2611481.
- [73] Y. Shang, C. Zhang, N. Cui, and J. M. Guerrero, "A cell-to-cell battery equalizer with zero-current switching and zero-voltage gap based on quasi-resonant lc converter and boost converter," *IEEE Transactions on Power Electronics*, vol. 30, no. 7, pp. 3731–3747, 2015, doi: 10.1109/TPEL.2014.2345672.

- [74] N. N. S. Nordin, M. I. F. Romli, L. H. Fang, M. Z. Aihsan, and M. S. Saidon, "Review Article: Voltage Balancing Method for Battery and Supercapacitor," *Journal of Advanced Research in Applied Sciences and Engineering Technology*, vol. 29, no. 3, pp. 235–250, 2023, doi: 10.37934/araset.29.3.235250.
- [75] Y. X. Wang, H. Zhong, J. Li, and W. Zhang, "Adaptive estimation-based hierarchical model predictive control methodology for battery active equalization topologies: Part II - equalizer control," *Journal of Energy Storage*, vol. 45, 2022, doi: 10.1016/j.est.2021.102958.
- [76] A. Alvarez-Diazcomas, J. Rodríguez-Reséndiz, and R. V. Carrillo-Serrano, "An Improved Battery Equalizer with Reduced Number of Components Applied to Electric Vehicles," *Batteries*, vol. 9, no. 2, 2023, doi: 10.3390/batteries9020065.
- [77] C. Lu, J. Chen, C. Chen, Y. Huang, and D. Xuan, "An active equalization method for redundant battery based on deep reinforcement learning," *Measurement: Journal of the International Measurement Confederation*, vol. 210, 2023, doi: 10.1016/j.measurement.2023.112507.
- [78] S. Jinlei, L. Wei, T. Chuanyu, W. Tianru, J. Tao, and T. Yong, "A Novel Active Equalization Method for Series-Connected Battery Packs Based on Clustering Analysis with Genetic Algorithm," *IEEE Transactions on Power Electronics*, vol. 36, no. 7, pp. 7853–7865, 2021, doi: 10.1109/TPEL.2021.3049166.
- [79] X. Liu, H. Pang, and Y. Geng, "Dual-Layer Inductor Active Equalization Control for Series-Connected Lithium-Ion Batteries Based on SOC Estimation," *Electronics (Switzerland)*, vol. 11, no. 8, 2022, doi: 10.3390/electronics11081169.
- [80] W. Chen, Z. Ding, J. Liu, J. Kan, M. S. Nazir, and Y. Wang, "Half-Bridge Lithium-Ion Battery Equalizer Based on Phase-Shift Strategy," *Sustainability (Switzerland)*, vol. 15, no. 2, 2023, doi: 10.3390/su15021349.
- [81] S. W. Lee, K. M. Lee, Y. G. Choi, and B. Kang, "Modularized design of active charge equalizer for li-ion battery pack," *IEEE Transactions on Industrial Electronics*, vol. 65, no. 11, pp. 8697–8706, 2018, doi: 10.1109/TIE.2018.2813997.
- [82] R. Thomas, F. Lehmann, J. Blatter, G. Despesse, and V. Heiries, "Performance analysis of a novel high frequency self-reconfigurable battery," *World Electric Vehicle Journal*, vol. 12, no. 1, pp. 1–12, 2021, doi: 10.3390/WEVJ12010010.
- [83] S. Dai, F. Zhang, and X. Zhao, "Series-connected battery equalization system: A systematic review on variables, topologies, and modular methods," *International Journal of Energy Research*, vol. 45, no. 14, pp. 19709–19728, 2021, doi: 10.1002/er.7053.
- [84] M. Gao, J. Qu, J. Wang, H. Lin, and M. Wang, "Research on symmetry half-bridge switched capacitor active equalization circuit of vehicle power lead-acid battery," *2020 8th International Conference on Power Electronics Systems and Applications: Future Mobility and Future Power Transfer, PESA 2020*, 2020, doi: 10.1109/PESA50370.2020.9343982.
- [85] Y. Wang, X. Huang, X. Geng, Z. Xu, and Z. Chen, "Fault-tolerant battery power supply for aircraft and its active equalization management," *Hangkong Xuebao/Acta Aeronautica et Astronautica Sinica*, vol. 39, no. 5, 2018, doi: 10.7527/S1000-6893.2018.21722.
- [86] M. Cai, E. Zhang, J. Lin, K. Wang, K. Jiang, and M. Zhou, "Review on Balancing Topology of Lithium-ion Battery Pack," *Zhongguo Dianji Gongcheng Xuebao/Proceedings of the Chinese Society of Electrical Engineering*, vol. 41, no. 15, pp. 5294–5310, 2021, doi: 10.13334/j.0258-8013.pcsee.201749.
- [87] S. Suyal and A. R. Saxena, "Active Charge Equalization of an 'm×n' Battery Stack in Electric Vehicles during Charging, Discharging, or Isolated Condition," 2022, doi: 10.1109/PIICON56320.2022.10045135.
- [88] G. Karthikrajan and M. R. Sindhu, "Implementation and Analysis of Flyback converter for active charge equalization in Li-ion battery pack for EVs," *Proceedings of 2020 IEEE International Conference on Power, Instrumentation, Control and Computing, PICC 2020*, 2020, doi: 10.1109/PICC51425.2020.9362346.
- [89] Y. Chen *et al.*, "An any-cell(s)-to-cell(s) equalization method with a single magnetic component for Lithium-ion battery pack," *Journal of Energy Storage*, vol. 33, 2021, doi: 10.1016/j.est.2020.102071.
- [90] D. Lee, J. Jeon, and S. Han, "Novel cell balancing applied near-field coupling and Serial-Parallel Circuit configuration," *Energy Reports*, vol. 9, pp. 28–33, 2023, doi: 10.1016/j.egy.2023.03.003.
- [91] W. Guan and X. Huang, "A Modular Active Balancing Circuit for Redox Flow Battery Applied in Energy Storage System," *IEEE Access*, vol. 9, pp. 127548–127558, 2021, doi: 10.1109/ACCESS.2021.3112902.
- [92] A. F. Moghaddam and A. Van Den Bossche, "An Active Cell Equalization Technique for Lithium Ion Batteries Based on Inductor Balancing," *Proceedings of 2018 9th International Conference on Mechanical and Aerospace Engineering, ICMAE 2018*, pp. 274–278, 2018, doi: 10.1109/ICMAE.2018.8467685.
- [93] L. Liao and H. Chen, "Research on two-stage equalization strategy based on fuzzy logic control for lithium-ion battery packs," *Journal of Energy Storage*, vol. 50, 2022, doi: 10.1016/j.est.2022.104321.
- [94] J. Olarte, J. M. de Ilarduya, E. Zulueta, R. Ferret, U. Fernández-Gámiz, and J. M. Lopez-Guede, "A battery management system with eis monitoring of life expectancy for lead-acid batteries," *Electronics (Switzerland)*, vol. 10, no. 11, 2021, doi: 10.3390/electronics10111228.
- [95] A. Rauh, M. Lahme, and O. Benzinane, "A Comparison of the Use of Pontryagin's Maximum Principle and Reinforcement Learning Techniques for the Optimal Charging of Lithium-Ion Batteries," *Clean Technologies*, vol. 4, no. 4, pp. 1269–1289, 2022, doi: 10.3390/cleantechnol4040078.
- [96] Y. Li, J. Xu, X. Mei, and J. Wang, "A unitized multiwinding transformer-based equalization method for series-connected battery strings," *IEEE Transactions on Power Electronics*, vol. 34, no. 12, pp. 11981–11989, 2019, doi: 10.1109/TPEL.2019.2910205.
- [97] E. Zhang, C. Xu, G. Liu, K. Jiang, and K. Wang, "An active battery equalization scheme for lithium iron phosphate batteries," *Energy Procedia*, vol. 158, pp. 4702–4707, 2019, doi: 10.1016/j.egypro.2019.01.733.
- [98] Y. Yang *et al.*, "A layered bidirectional active equalization method for retired power lithium-ion batteries for energy storage applications," *Energies*, vol. 13, no. 4, 2020, doi: 10.3390/en13040832.
- [99] X. Li, X. Yin, Z. Tian, X. Jiang, L. Jiang, and J. Smith, "Multi-layer state of health balancing control for a battery-based energy storage system to extend cycle life based on active equalization circuits," *Frontiers in Energy Research*, vol. 10, 2022, doi: 10.3389/fenrg.2022.966422.
- [100] M. Daowd, M. Antoine, N. Omar, P. Lataire, P. Van Den Bossche, and J. Van Mierlo, "Battery management system-balancing modularization based on a single switched capacitor and bi-directional DC/DC converter with the auxiliary battery," *Energies*, vol. 7, no. 5, pp. 2897–2937, 2014, doi: 10.3390/en7052897.
- [101] Y. X. Wang, H. Zhong, and H. He, "Bidirectional boost converter via adaptive sliding-mode control used for battery active equalization," *2019 IEEE Vehicle Power and Propulsion Conference, VPPC 2019 - Proceedings*, 2019, doi: 10.1109/VPPC46532.2019.8952524.
- [102] W. Lujun *et al.*, "Efficient and Fast Active Equalization Method for Retired Battery Pack Using Wide Voltage Range Bidirectional Converter and DBSCAN Clustering Algorithm," *IEEE Transactions on Power Electronics*, vol. 37, no. 11, pp. 13824–13833, 2022, doi: 10.1109/TPEL.2022.3185242.
- [103] X. Lei, J. He, L. Fan, and G. Wang, "Active Equalization Strategy for Lithium-Ion Battery Packs Based on Multilayer Dual Interleaved Inductor Circuits in Electric Vehicles," *Journal of Advanced Transportation*, vol. 2022, 2022, doi: 10.1155/2022/8653547.




- [104] L. Wang, J. Ke, M. Zhan, T. Wu, and J. Jiang, "Active Fast Equalization Method for Retired Battery Pack Based on Four Switch Bidirectional Converter," *Zhongguo Dianji Gongcheng Xuebao/Proceedings of the Chinese Society of Electrical Engineering*, vol. 42, no. 14, pp. 5254–5265, 2022, doi: 10.13334/j.0258-8013.pcsee.210397.
- [105] K. Li, X. Zong, Q. Liu, Y. Sun, and F. Xue, "Design of an Active Battery Equalization Circuit with DC-DC Converter," in *2021 3rd Asia Energy and Electrical Engineering Symposium, AEEES 2021*, 2021, pp. 863–866, doi: 10.1109/AEEES51875.2021.9403205.
- [106] S. Yarlagadda, T. T. Hartley, and I. Husain, "A Battery Management System using an active charge equalization technique based on a DC/DC converter topology," *IEEE Energy Conversion Congress and Exposition: Energy Conversion Innovation for a Clean Energy Future, ECCE 2011, Proceedings*, pp. 1188–1195, 2011, doi: 10.1109/ECCE.2011.6063911.
- [107] T. Duraisamy and D. Kaliyaperumal, "Active cell balancing for electric vehicle battery management system," *International Journal of Power Electronics and Drive Systems*, vol. 11, no. 2, pp. 571–579, 2020, doi: 10.11591/ijpeds.v11.i2.pp571-579.
- [108] J. R. Galvão, L. B. Calligaris, K. M. de Souza, J. D. Gotz, P. B. Junior, and F. C. Corrêa, "Hybrid Equalization Topology for Battery Management Systems Applied to an Electric Vehicle Model," *Batteries*, vol. 8, no. 10, 2022, doi: 10.3390/batteries8100178.
- [109] P. T. Moseley, D. A. J. Rand, A. Davidson, and B. Monahov, "Understanding the functions of carbon in the negative active-mass of the lead-acid battery: A review of progress," *Journal of Energy Storage*, vol. 19, pp. 272–290, 2018, doi: 10.1016/j.est.2018.08.003.
- [110] A. Amin, A. C. Budiman, S. Kaleg, S. Sudirja, and A. Hapid, "Active battery balancing system for electric vehicles based on cell charger," *International Journal of Power Electronics and Drive Systems (IJPEDS)*, vol. 12, no. 3, p. 1729, 2021, doi: 10.11591/ijpeds.v12.i3.pp1729-1737.
- [111] Y. Qiu and F. Jiang, "A review on passive and active strategies of enhancing the safety of lithium-ion batteries," *International Journal of Heat and Mass Transfer*, vol. 184, 2022, doi: 10.1016/j.ijheatmasstransfer.2021.122288.
- [112] S. Wang, S. Yang, W. Yang, and Y. Wang, "A New Kind of Balancing Circuit with Multiple Equalization Modes for Serially Connected Battery Pack," *IEEE Transactions on Industrial Electronics*, vol. 68, no. 3, pp. 2142–2150, 2021, doi: 10.1109/TIE.2020.2973886.
- [113] X. Tang *et al.*, "Run-to-Run Control for Active Balancing of Lithium Iron Phosphate Battery Packs," *IEEE Transactions on Power Electronics*, vol. 35, no. 2, pp. 1499–1512, 2020, doi: 10.1109/TPEL.2019.2919709.
- [114] W. Li *et al.*, "A Comprehensive Approach for the Clustering of Similar-Performance Cells for the Design of a Lithium-Ion Battery Module for Electric Vehicles," *Engineering*, vol. 5, no. 4, pp. 795–802, 2019, doi: 10.1016/j.eng.2019.07.005.
- [115] M. A. Khan *et al.*, "A novel supercapacitor/lithium-ion hybrid energy system with a fuzzy logic-controlled fast charging and intelligent energy management system," *Electronics (Switzerland)*, vol. 7, no. 5, 2018, doi: 10.3390/electronics7050063.
- [116] D. Li, Z. Wu, B. Zhao, and L. Zhang, "An improved droop control for balancing state of charge of battery energy storage systems in AC microgrid," *IEEE Access*, vol. 8, pp. 71917–71929, 2020, doi: 10.1109/ACCESS.2020.2987098.
- [117] A. F. Moghaddam and A. Van den Bossche, "A  $\dot{u}k$  converter cell balancing technique by using coupled inductors for lithium-based batteries," *Energies*, vol. 12, no. 15, 2019, doi: 10.3390/en12152881.
- [118] A. F. Moghaddam and A. Van den Bossche, "An efficient equalizing method for lithium-ion batteries based on coupled inductor balancing," *Electronics (Switzerland)*, vol. 8, no. 2, 2019, doi: 10.3390/electronics8020136.
- [119] X. Wang, K. W. E. Cheng, and Y. C. Fong, "Series-parallel switched-capacitor balancing circuit for hybrid source package," *IEEE Access*, vol. 6, pp. 34254–34261, 2018, doi: 10.1109/ACCESS.2018.2849864.
- [120] Y. Zhang, M. Huang, T. Wu, and F. Ji, "Reconfigurable equilibrium circuit with additional power supply," *International Journal of Low-Carbon Technologies*, vol. 15, no. 1, pp. 106–111, 2019, doi: 10.1093/ijlct/ctz063.

## BIOGRAPHIES OF AUTHORS






**Eki Rovianto**    is a lecturer in Mechanical Engineering Department at Universitas Sebelas Maret (UNS), Surakarta, Indonesia. He received his bachelor's degree in Electrical Engineering from Universitas Jember and master's degree in Power System Engineering from Institut Teknologi Sepuluh Nopember in 2017 and 2020, respectively. He has been a junior lecturer at UNS, Surakarta Indonesia since 2021. His research is related to power system engineering, power electronics, energy storage, optimization, renewable energy, and artificial intelligence. He has published some articles in the Civil Engineering Journal, International Review of Electrical Engineering, IEEE proceedings, and other several conference proceedings. He can be contacted at email: ekirovianto@staff.uns.ac.id.






**Khairunnisa**    is a lecturer in Vocational Electrical and Electronic Engineering at the Universitas Negeri Yogyakarta (UNY), Indonesia. She received a bachelor's degree in Electrical Engineering from the Universitas Islam Negeri Sultan Syarif Kasim Riau (UIN SUSKA Riau), Indonesia, in 2017, and a master's degree from Institut Teknologi Sepuluh Nopember (ITS), Indonesia in 2020. Her research interests include the fields of power system engineering, power electronics, artificial intelligence, renewable energy, energy storage monitoring, and smart grid technologies. She can be contacted at email: khairunnisa@uny.ac.id.






**Bhre Wangsa Lenggana**    was a graduate of the master's program at Universitas Sebelas Maret, Surakarta, Indonesia. Currently, he is continuing his doctoral program in the Mechanical Engineering. His research is related to smart materials such as magnetorheological fluids and magnetorheological elastomers in various applications. Apart from that, his research is also related to structure and is currently conducting preliminary research on metamaterials. He can be contacted at email: bhrewangsa\_31@staff.uns.ac.id.






**Muhammad Faris Fardan**    was a graduate of the bachelor's degree from Universitas Sebelas Maret (UNS), Surakarta, Indonesia. Currently, he works as a research assistant specializing in Design and Finite Element Analysis. His research is related to the design and application of metamaterial specifically on auxetic metamaterial. He has experience in publishing a review article in MDPI (micromachines) on 2023. He can be contacted at email: farisfardan21@student.uns.ac.id.



**Catur Harsito**    was born in Temanggung, Indonesia at April 17th 1992. He got his degree: S.T. (2017) in Mechanical Engineering from Universitas Sebelas Maret, Surakarta-Indonesia and M.T. (2019) in Mechanical Engineering from Universitas Sebelas Maret, Indonesia. He has worked as Lecture at Universitas Sebelas Maret, Surakarta, Central Java, Indonesia. He got some publications in the Energies, Journal of Advanced Research in Fluid Mechanics and Thermal Sciences, Journal of Mechanical Engineering and Sciences, International Journal of Mechanical and Production Engineering Research and Development, Open Engineering, and several seminar proceedings. He can be contacted at email: catur\_harsito@staff.uns.ac.id.



**Ari Prasetyo**    was born in Sragen, Indonesia at December 4th 1990. He got his degree: S.T. (2017) in Mechanical Engineering from Universitas Sebelas Maret, Surakarta-Indonesia and M.T. (2019) in Mechanical Engineering from Universitas Sebelas Maret, Indonesia. He is an associate professor and lecturer at Universitas Sebelas Maret, Surakarta, Central Java, Indonesia. He has written some research publications in the Evergreen and several seminar proceedings. He can be contacted at email: ari\_prasetyo@staff.uns.ac.id.